

CERTIFICATE OF ANALYSIS

Green Wave Ingredients
 Attn: Felicia Ly
 14821 Northam Street
 La Mirada, CA 90638

AR-19-QR-002463-01

Client Code: QR0000177
 Batch Code: EUUSGA2-00024744
 PO Number: 20190131-LA

Report Date: 02/15/2019
 Entry Date: 02/01/2019

Eurofins Sample Code: 111-2019-02010074
 Client Sample Code:
 JSTKDC190110
 Sample Reference:
 Mfr. Jiangsu Jiushoutang
 Analysis Date: 2/5/2019

Sample Description: Glucosamine 2CKI DC95
 Condition Upon Receipt: Acceptable

Test	Result
UMHY9 - Aerobic Plate Count - AOAC 990.12 Method Reference: AOAC 990.12 *Aerobic Plate Count	< 10 cfu/g
UMABD - Enterobacteriaceae - AOAC 2003.01 Method Reference: AOAC 2003.01 *Enterobacteriaceae	< 10 cfu/g
UM5DP - Total Coliforms - AOAC 991.14 Method Reference: AOAC 991.14 *Coliforms *Escherichia coli	< 10 cfu/g < 10 cfu/g
UMJR7 - Staphylococcus aureus - AOAC 2003.07 Method Reference: AOAC 2003.07 *Staphylococcus aureus	< 10 cfu/g
KK178 - Glucosamine (HPLC) Method Reference: AOAC 2005.01 mod.	
Glucosamine	55.8 % (w/w)
Glucosamine HCl Glucosamine hydrochloride (C6 H13 NO5 • HCl) by calculation from the glucosamine results	67.0 % (w/w)
Glucosamine Sulfate 2KCl Glucosamine sulfate (C12 H28 N2 O14 S) • 2KCl by calculation from the glucosamine results	94.3 % (w/w)
Glucosamine Sulfate Glucosamine sulfate C12 H28 N2 O14 S by calculation from the glucosamine results	71.0 % (w/w)
Glucosamine Sulfate 2NaCl Glucosamine sulfate (C12 H28 N2 O14 S) • 2NaCl by calculation from the glucosamine results	89.3 % (w/w)
KK02W - Heavy Metals (As, Cd, Hg, and Pb) Method Reference: AOAC 993.14 Mod.	
Arsenic (As)	<0.007 ppm
Cadmium (Cd)	<0.007 ppm
Lead (Pb)	0.072 ppm
Mercury (Hg)	<0.007 ppm

Microbiology

CERTIFICATE OF ANALYSIS

Green Wave Ingredients
Attn: Felicia Ly
14821 Northam Street
La Mirada, CA 90638

AR-19-QR-002463-01

Client Code: QR0000177
Batch Code: EUUSGA2-00024744
PO Number: 20190131-LA

Report Date: 02/15/2019
Entry Date: 02/01/2019

UMFPA - Mold - AOAC 997.02

Method Reference: AOAC 997.02

Moulds
Yeast

< 10 cfu/g
< 10 cfu/g

UMDTC - Salmonella spp. - AOAC-RI 121501

Method Reference: AOAC-RI 121501

*Salmonella

Not Detected per 25 g

**The test result is covered by our current A2LA accreditation.*

Respectfully Submitted,
Eurofins Scientific, Inc.



Anne Chi
Business Unit Manager



Testing Cert #3329.05

Results shown in this report relate solely to the item submitted for analysis.
All results are reported on an "As Received" basis unless otherwise stated.
Reports shall not be reproduced except in full without written permission of Eurofins Scientific, Inc.
Measurement of Uncertainty may be obtained upon request.
Retained samples are discarded 30 days after receipt; certain exceptions apply.

All work done in accordance with the Eurofins General Terms and Conditions of Sale.
Full text at: www.eurofinsus.com/Terms_and_Conditions.pdf